

(19)



Europäisches Patentamt

European Patent Office

Office européen des brevets



(11)

EP 0 737 703 A2

(12)

EUROPEAN PATENT APPLICATION

(43) Date of publication:

16.10.1996 Bulletin 1996/42

(51) Int. Cl.⁶: C08G 63/664, A61K 47/34

(21) Application number: 96105777.5

(22) Date of filing: 12.04.1996

(84) Designated Contracting States:
AT CH DE FR GB IT LI SE

(30) Priority: 13.04.1995 US 421222

(71) Applicant: Poly-Med Inc.
Anderson, SC 29625 (US)(72) Inventor: Shalaby, Shalaby W.
Anderson, SC 29625 (US)(74) Representative: UEXKÜLL & STOLBERG
Patentanwälte
Beselerstrasse 4
22607 Hamburg (DE)

(54) Hydrogel-forming, self-solvating absorbable polyester copolymers, and methods for use therefor

(57) The present invention provides novel hydrogel-forming, self-solvating, absorbable polyester copolymers capable of selective, segmental association into compliant hydrogels upon contacting aqueous environment. Pharmaceutical formulations comprising the novel polyester copolymers of the invention are also disclosed which provide a protective barrier to prevent post-surgical adhesion, can be used to treat of defects in conduits such as blood vessels, and for controlled release of a biologically active agent for modulating cellular events such as wound healing and tissue regeneration or therapeutic treatment of diseases such as infection of the periodontium, dry socket, bone, skin, vaginal, and nail infections.

cov.
labi
Vol.
Deli
199
mer
suc
whi
10 trea
tern
here

solu
15 mor
cuss
crys
ing
para
20 resp

copc
sition
solut
25 hyall

alliec
alern
tical
30 were
pone
discle
No.,

35 sutur
mech
discle
treatr
and c

40 ani, c
ing bi
the p
cogly
col, a

45 C
5,278
ing th
root s
barrie

50 includ
ymen.
vent s
The o
in-situ
55 promc
the bi
water-
descri

EP 0 737 703 A2

EP 0 737 703 A2

Description

FIELD OF INVENTION

6 This invention relates generally to biomedical and/or pharmaceutical applications of absorbable or biodegradable polymeric hydrogels. More particularly, the present invention relates to hydrogel-forming, self-solvating, absorbable polyester copolymers capable of selective, segmental association into compliant hydrogels upon contacting an aqueous environment. The invention also discloses methods of using the polyester copolymers of the invention in humans for providing a protective barrier to prevent post-surgical adhesion, a carrier of viable cells or living tissue, treatment of defects in conduits such as blood vessels, and controlled release of a biologically active agent for modulating cellular events such as wound healing and tissue regeneration or therapeutic treatment of diseases such as infection of the periodontium, dry socket, bone, skin, vaginal, and nail infections.

BACKGROUND OF THE INVENTION

15 Hydrogels are materials which absorb solvents (such as water), undergo rapid swelling without discernible dissolution, and maintain three-dimensional networks capable of reversible deformation (Park, et al., *Biodegradable Hydrogels for Drug Delivery*, Technomic Publishing Co., Lancaster, PA, 1993; W. Shalaby et al., *J. Controlled Rel.*, 19, 131, 1992; and Silberberg, in *Molecular Basis of Polymer Networks* (Baumgartner, A. & Picot, C.E., Eds.), Springer-Verlag, Berlin, 1989, p. 147).

20 Covalently crosslinked networks of hydrophilic polymers, including water-soluble polymers are traditionally denoted as hydrogels (or aquagels) in their hydrated state. Hydrogels have been prepared to be based on crosslinked polymeric chains of methoxy poly(ethylene glycol) monomethacrylate having variable lengths of the polyoxyethylene side chains, and their interaction as hydrogels, with blood components have been studied (Nagaoka, et al., in *Polymers as Biomaterials* (Shalaby, S.W., et al., Eds.), Plenum Press, 1983, p. 381). A number of aqueous hydrogels (aquagels) have been used in various biomedical applications, such as, for example, soft contact lenses, wound management, and drug delivery. However, methods used in the preparation of these hydrogels, and their conversion to useful articles, are subject to the constraints associated with the nature of their three-dimensional thermosetting structures, hence, deprive the users from applying the facile processing techniques employed in the production of non-crosslinked thermoplastic materials.

25 This, and the low mechanical strength of the hydrated networks, led a number of investigators to explore the concept of combining hydrophilic and hydrophobic polymeric components in block (Okano, et al., *J. Biomed. Mat. Research*, 15, 393, 1981), or graft copolymeric structures (Onishi, et al., in *Contemporary Topics in Polymer Science* (W.J. Bailey & T. Tsuruta, Eds.), Plenum Publ. Co., New York, 1984, p. 149), and blends (Shah, *Polymer*, 28, 1212, 1987; and U.S. Pat. No. 4,369,229) to form the "hydrophobic-hydrophilic" domain systems, which are suited for thermoplastic processing (Shah, Chap. 30, in *Water Soluble Polymers* (S.W. Shalaby, et al., Eds.), Vol. 467, ACS-Symp. Ser., Amer. Chem. Soc., Washington, 1991). The "hydrophobic-hydrophilic" domain system (HHDS) undergoes morphological changes which are associated with the hydration of the hydrophilic domains and formation of pseudo-crosslinks via the hydrophobic component of the system (Shah, 1991, cited above). Such morphology was considered to be responsible for the enhanced biocompatibility and superior mechanical strength of the two-phase HHDS as compared to those of covalently crosslinked, hydrophilic polymers. The mechanism of gel formation in the present invention parallels that described by Shah, 1991, cited above, for non-absorbable blends of hydrophilic-hydrophobic domain systems (HHDS). However, differences exist between the copolymers of the present invention, and more particularly, Component "A", and HHDS. In this regard, Component A is based on a water-soluble and water-insoluble block structure (SIBS). This is not a mere physical mixture of two polymers as are the blends described by Shah, 1991, cited above. Additionally, due to the presence of covalent links between the blocks of SIBS, the resulting hydrogel displays higher elasticity compliance and tensile strength while being absorbable. In fact, the SIBS systems are, in some respects, analogous to thermoreversible gels (Shalaby, in *Water-Soluble Polymers* (Shalaby, S.W., et al., Eds.), Vol. 467, Chapt. 33, ACS Symp. Ser., Amer. Chem. Soc., Washington, DC, 1991a) in displaying a hydration-dehydration equilibrium governing the system transformation, i.e., the gel/liquid equilibrium is driven by the water content of the SIBS. Thus, in the absence of water, the polyoxyalkylene blocks undergo intermolecular segmental mixing with the neighboring hydrophobic blocks to produce a viscous liquid. In the presence of water, competition between the water as an extrinsic solvent and the polyester block for the polyoxyalkylene (POA) block forces the hydration of the POA, and aggregation or association of the polyester blocks to establish pseudo-crosslinks which maintain a 3-dimensional integrity. Since gel formation takes place in an aqueous environment, the POA block will preferentially migrate to the exterior of the gel and interface with the adjoining tissues to establish an adhesive joint, which prevents gel migration from target site and sustains its intended efficacy. As for example, for periodontal and dry socket applications, post-surgical adhesion prevention and treatment of vaginal and bone infections, and other applications where predictable site residence of the gel cannot be compromised.



EP 0 737 703 A2

Synthesis and biomedical and pharmaceutical applications of absorbable or biodegradable hydrogels based on covalently cross-linked networks comprising polypeptide or polyester components as the enzymatically or hydrolytically labile components, respectively, have been described by a number of researchers (Jarrett, et. al., *Trans. Soc. Biomater.*, Vol. XVIII, 182, 1995; Pathak, et. al., *Macromolecules*, 26, 581, 1993; Park, et. al., *Biodegradable Hydrogels for Drug Delivery*, Technomic Publishing Co., Lancaster, PA, 1993; Park, *Biomaterials*, 9, 435, 1988; and W. Shalaby, et. al., 1992, cited elsewhere herein). The hydrogels most often cited in the literature are those made of water-soluble polymers, such as polyvinyl pyrrolidone, which have been crosslinked with naturally derived biodegradable components such as those based on albumin (Park, et. al., 1993, cited elsewhere herein; and W. Shalaby, et. al., 1992, cited elsewhere herein). Totally synthetic hydrogels which have been studied for controlled drug release and membranes for the treatment of post-surgical adhesion are based on covalent networks formed by the addition polymerisation of acrylic-terminated, water-soluble chains of polyether di-poly(lactide) block copolymers (Jarrett, et. al., 1995, cited elsewhere herein; and Pathak, et. al., 1993, cited elsewhere herein).

Polymer solutions which undergo reversible gelation by heating or cooling about certain temperatures (lower critical solution temperature, LCST) are known as thermoreversible gels. Theoretical and practical aspects of key forms of thermoreversible gels are described by Shalaby, 1991a, cited elsewhere herein. Among the thermoreversible gels discussed by Shalaby are those of amorphous N-substituted acrylamides in water and amorphous polystyrene and crystalline poly(4-methyl pentene) in organic solvents. Prevailing gel formation mechanisms include molecular clustering of amorphous polymers and selective crystallization of mixed phases of crystalline materials. Thermodynamic parameters (enthalpy and entropy) which favor gel formation in terms of LCST are discussed by Shalaby only with respect to the solvent-polymer interaction. Shalaby fails, however, to address self solvating chains.

U.S. Patent No., 4,911,926, discloses aqueous and non-aqueous compositions comprised of block polyoxyalkylene copolymers that form gels in the biologic environment, for preventing post-surgical adhesion. Other gel forming compositions for use in preventing post-surgical adhesion include: (a) chitin derivatives (U.S. Pat. No., 5,093,319); (b) aqueous solutions of xanthan gum (U.S. Pat. No., 4,994,277); (c) chitosan-coagulum (U.S. Pat. No., 4,532,134); and (d) hyaluronic acid (U.S. Pat. No., 4,141,973).

Absorbable polymers, or often referred to as biodegradable polymers, have been used clinically in sutures and allied surgical augmentation devices to eliminate the need for a second surgical procedure to remove functionally equivalent non-absorbable devices (U.S. Pat. No., 3,991,766, to Schmitt et al.; and Shalaby, in *Encyclopedia of Pharmaceutical Technology* (I.C. Boylan & J. Swarbrick, Eds.), Vol. 1, Dekker, New York, 1988, p. 465). Although these devices were designed for repairing soft tissues, interest in using such transient systems, with or without biologically active components, in dental and orthopedic applications has grown significantly over the past few years. Such applications are disclosed in Bhatia, et. al., *J. Biomater. Sci., Polym. Ed.*, 6(5), 435, 1994; U.S. Pat. No., 5,198,220, to Damani; U.S. Pat. No., 5,198,220, to Wasserman, et. al.; and U.S. Pat. No., 3,991,766, to Schmitt et al.

U.S. Patent No., 3,991,766, to Schmitt et al., discloses absorbable articles made of polyglycolide acid, such as sutures, clips and storage pallets having medicaments incorporated therein and can be used for both their own mechanical properties and delayed release systems of medicaments. U.S. Patent No., 5,171,148, to Wasserman et al., discloses the use of absorbable polymers made from p-dioxanone or L-lactide and glycolide as dental inserts for the treatment of periodontal disease. Here, a semiporous mesh material with sealed edges is emplaced between the tooth and gingiva. The implant is attached to the tooth by an absorbable ligature material. U.S. Pat. No., 5,198,220, to Damani, discloses the treatment of periodontal disease through the use of a sustained release composition/device comprising bioactive agents. The composition/device is in a liquid, semi-solid or solid form suitable for insertion into or around the periodontal pocket. Damani also teaches the formation of a gel, or paste, composition consisting of poly(lactyl-coglycolide) in an acceptable solvent (such as propylene carbonate), with or without propylene and/or polyethylene glycol, and an antibiotic agent such as tetracycline hydrochloride.

Other in-situ forming biodegradable implants and methods of forming them are described in U.S. Pat. Nos., 5,278,201 ('201 Patent) and 5,077,049 ('049 Patent), to Dunn et al. The Dunn et al., patents disclose methods for assisting the restoration of periodontal tissue in a periodontal pocket and for retarding migration of epithelial cells along the root surface of a tooth. The '049 Patent discloses methods which involve placement of an in-situ forming biodegradable barrier adjacent to the surface of the tooth. The barrier is microporous and includes pores of defined size and can include biologically active agents. The barrier formation is achieved by placing a liquid solution of a biodegradable polymer, such as poly(di-lactide-co-glycolide) water-coagulatable, thermoplastic in a water miscible, non-toxic organic solvent such as N-methyl pyrrolidone (i.e., to achieve a typical polymer concentration of $\leq 50\%$) into the periodontal pocket. The organic solvent dissipates into the periodontal fluids and the biodegradable, water coagulatable polymer forms an in-situ solid biodegradable implant. The dissipation of solvent creates pores within the solid biodegradable implant to promote cell ingrowth. The '859 Patent likewise discloses methods for the same indications involving the formation of the biodegradable barrier from a liquid mixture of a biodegradable, curable thermosetting prepolymer, curing agent and water-soluble material such as salt, sugar, and water-soluble polymer. The curable thermosetting prepolymer is described as an acrylic-ester terminated absorbable polymer.

EP 0 737 703 A2

The '049 and '859 Patents, as well as U.S. Patent No. 4,938,763 to Dunn et al., disclose polymer compositions primarily consisting of absorbable thermoplastic or thermosetting polymer dissolved in organic solvent. These compositions are also described to produce, in an aqueous environment, solids which can be used as tissue barrier (Fujita, et al., *Trans. Soc. Biomater.*, Vol. XVII, 384, 1994) substrate for tissue generation (Dunn, et al., *Poly. Prepr.*, 35(2), 437, 1994a) or carrier for the controlled delivery of drugs (Sherman, et al., *Pharm. Res.*, 11(105-318, 1994). Acrylate-end-capped poly(ϵ -caprolactone) prepolymer was also used as a branched precursor for the in-situ formation of a crosslinked system for potential use in controlled drug release (Moore, et al., *Trans. Soc. Biomater.*, Vol. XVIII, 186, 1995).

A number of controlled delivery systems for the treatment of periodontal disease are also described in the literature. For example, U.S. Patent No., 4,919,939, to Baker, discloses a controlled release delivery system for placement in the periodontal pocket, gingival sulcus, tooth socket, wound or other cavity within the mouth. The system incorporates microparticles in fluid medium and is effective in the environment of use for up to 30 days. The drug, in 10-50 micron polymer particles, is released at a controlled rate by a combination of diffusion of the drug through the polymer and erosion of the polymer.

U.S. Patent No., 5,135,752, to Snipes, discloses a buccal dosage form, which melts in the oral cavity, yet will not spontaneously deform at higher temperatures encountered in shipment and storage. This composition comprises two grades of polyethylene glycol, polyethylene oxide, long-chain saturated fatty acid, and colloidal silica.

U.S. Patent No., 5,366,733, to Brizzolars et al., discloses an oral composition for the oral administration of a therapeutic agent to a periodontal pocket comprising at least one therapeutic agent dispersed in a matrix including a biocompatible and/or biodegradable polymer. The composition is administered as a plurality of dry discrete microparticles, said microparticles are prepared by a phase separation process. An oral composition is also described wherein the polymer comprises a block copolymer of polyglycolide, trimethylene carbonate and polyethylene oxide. Apparatus and methods are also provided for dispensing the dry microparticles to the periodontal pocket, whereby they become tacky and adhere to the involved tissue so as to induce long-term therapeutic effects.

In addition, a number of systems for the controlled delivery of biologically active compounds to a variety of sites are disclosed in the literature. For example, U.S. Patent No., 5,011,692, to Fujioka et al., discloses a sustained pulsewise release pharmaceutical preparation which comprises drug-containing polymeric material layers. The polymeric material layers contain the drug only in a slight amount, or free of the drug. The entire surface extends in a direction perpendicular to the layer plane and is coated with a polymeric material which is insoluble in water. These types of pulsewise-release pharmaceutical dosages are suitable for embedding beneath the skin.

U. S. Patent No. 5,366,756, to Chesterfield et al., describes a method for preparing porous bioabsorbable surgical implant materials. The method comprises providing a quantity of particles of bioabsorbable implant material, and coating particles of bioabsorbable implant material with at least one growth factor. The implant can also contain antimicrobial agents.

U.S. Patent No., 5,385,738, to Yamahira et al., discloses a sustained-release injection system, comprising a suspension of a powder comprised of an active ingredient and a pharmaceutically acceptable biodegradable carrier (e.g., proteins, polysaccharides, and synthetic high molecular weight compounds, preferably collagen, atelo collagen, gelatin, and a mixture thereof) in a viscous solvent (e.g., vegetable oils, polyethylene glycol, propylene glycol, silicone oil, and medium-chain fatty acid triglycerides) for injection. The active ingredient in the pharmaceutical formulation is incorporated into the biodegradable carrier in the following state: (i) the active ingredient is chemically bound to the carrier matrix; (ii) the active ingredient is bound to the carrier matrix by intermolecular action; or (iii) the active ingredient is physically embraced within the carrier matrix.

Furthermore, a common complication which is encountered by many surgeons following tooth extraction is dry socket. Dry socket occurs following three to four percent of routine extractions (Field, et al., *J. Oral Maxillofac. Surg.*, 23(6), 419, 1985), and its etiology appears to be multifactorial (Westerholm, *Gen. Dent.*, July-Aug., 306, 1988). Over the years, dry socket has then referred to alveolalgia, alveolitis sicca dolorosa, avascular socket, localized osteitis, fibrinolytic alveolitis and localized acute alveolar osteomyelitis (Shafer, et al., *A Textbook of Oral Pathology*, 4th Ed., W. B. Saunders Co., Philadelphia, 1974, p. 605, 1974; and Birn, *Int. J. Oral Surg.*, 2, 211, 1973). Although many chemotherapeutic prevention measures or management have been pursued, none have significantly reduced the incidence of dry socket (Birn, 1973, cited above; Field, et al., 1985, cited above). Among such approaches to the therapeutic treatment of dry socket, with limited success, are those based on systemic administration of antibiotics (Westerholm, 1988, cited above) or direct placement of powdered sulfadiazine or sulfathiazole into the socket (Elwell, *J. Amer. Dent. Assoc.*, 31, 615, 1944).

To date, the known HHDS and thermoreversible gels can be classified as non-absorbable materials and are expected not to absorb through chain dissociation in the biological environment. Meanwhile, there is a growing interest in developing absorbable sutures and allied surgical devices such as transient implants, which are degraded to bioabsorbable, safe by-products and leave no residual mass at the surgical site, as well as frequently cited clinical advantages (Shalaby, Chap. 3 in *High Technology Fibers* (M. Lewin & J. Preston, Eds.), Dekker, New York, 1985; Shalaby, 1988 cited elsewhere herein; Shalaby *Polym. News*, 16, 238, 1991; Shalaby, *J. A. Biomater.*, 3, 73, 1992; Shalaby, *Bio-medical Polymers: Designed to Degrade Systems*, Hanser Publ., New York, 1994; and Shalaby, et al., eds. *Polymers of*

EP 0 737 703 A2

Biological & Biomedical Significance, Vol. 520, ACS-Symp. Ser., Amer. Chem. Soc., Washington, 1993) have justified the need for novel absorbable hydrogel formulations.

Moreover, such systems as those previously described in the literature, for example, such as by Dunn, et al, (U.S. Pat. No. 4,938,763), teach in-situ formations of biodegradable, microporous, solid implants in a living body through coagulation of a solution of a polymer in an organic solvent such as N-methyl-2-pyrrolidone. However, the use of solvents, including those of low molecular organic ones, facilitates migration of the solution from the application site thereby causing damage to living tissue including cell dehydration and necrosis. Loss of the solvent mass can lead to shrinkage of the coagulum and separation from surrounding tissue.

Furthermore, currently available drug delivery systems deal with solid implants which can elicit mechanical incompatibility and, hence, patient discomfort. The present invention provides novel, hydrogel-forming copolymers, which in contrast to those systems previously described, are absorbable, do not require the use of solvents, and are compliant, swollen, mechanically compatible gels, which adhere to surrounding tissue.

SUMMARY OF THE INVENTION

The primary object of the present invention is to provide a hydrogel-forming, self-solvating, absorbable polyester copolymer capable of selective, segmental association into a compliant hydrogel mass on contact with an aqueous environment.

Another object of the present invention, is to provide such a copolymer optionally comprising biologically active agents/drugs.

Yet another object of the present invention, is to provide such a copolymer optionally comprising a low molecular weight component.

Another object of the present invention, is to provide such a copolymer capable of the controlled-release of biologically active agents/drugs for modulating cellular events, such as, wound healing and tissue regeneration.

A further object of the present invention, is to provide such a copolymer capable of the controlled-release of biologically active agents/drugs for therapeutic treatment of diseases, such as, infection of the oral cavity, dry socket, bone, skin, vaginal, nail infections or epilepsy.

A further object of the present invention, is to provide such a copolymer capable of the controlled-release of anaesthetic agents/drugs.

A further object of the present invention, is to provide such a copolymer which is capable of being extruded or injected into living tissue, or onto the surface thereof, for providing a protective barrier for treating conditions, such as, post-surgical adhesion.

A further object of this invention is to provide such a copolymer for constituting or constructing a carrier of vaccines, living cells, or viable tissue for sustaining biological functions both in vitro and in vivo.

A further object of the present invention, is to provide such a copolymer which is capable of acting as a blocking agent or sealant for treating defects in conduits.

Accordingly, the present invention provides hydrogel-forming, self solvating, absorbable polyester copolymers capable of selective, segmental association into a compliant hydrogel mass on contact with an aqueous environment. In a preferred embodiment of the invention, the copolymer comprises a base component, designated "Component A" herein. As used herein, the terms "Component A" and "copolymer(s)" are interchangeable and refer to the basic structure of the copolymers of the invention. Component A comprises a molecular chain having a hydrophilic block, designated "Y" herein, and a relatively hydrophobic polyester block, designated "X" herein. Hydrophobic block X and hydrophilic block Y more preferably comprises a molecular structure having the following formula: $X-Y-X$ or $(X-Y)_n$, and branched structures thereof. Most preferably, hydrophobic block X comprises a polyester formed by grafting a glycolide, lactide, ϵ -caprolactone, p -dioxanone, trimethylene carbonate or combinations thereof, onto the hydroxylic or amino groups of a hydrophilic polymer precursor i.e., Y; hydrophilic block Y comprises a polyoxyethylene, poly(oxyethylene-b-oxypropylene), polypeptide polyalkylene oxamate, a polysaccharide, and derivatives thereof; or a liquid, high molecular weight polyether glycol interlinked with an oxalate or succinate functionalities in linear or branched form.

Component A optionally comprises carboxylic end-groups formed by any known technique in the art, such as, for example, end-group succinylation. This facilitates ionically binding a biologically active agent or drug to Component A, such that, drug release can be modulated. The biologically active agent or drug is preferably present on Component A in an insoluble form, such as, (1) a microparticulate dispersion, (2) a surface-deposited coating onto an absorbable microporous microparticles, and/or (3) ionically bound molecules onto the surfaces of absorbable microporous microparticles.

In another embodiment of the invention, Component A optionally comprises an absorbable carrier associated therewith and, designated "Component B" herein. As used herein, the term "associated therewith" refers to any chemical and/or physical means known in the art for combining components together. The function of Component B is to carry the biologically active agent. This is preferably desirable for medications which call for an initial drug burst and prolonged release thereafter and, thus, highly regulated availability of drugs at the biological site.



EP 0 737 703 A2

In a further embodiment of the invention, Component A, with or without component B and/or the biologically active agent, optionally comprises a similarly constituted low molecular weight block copolyester associated therewith. The low molecular weight copolyester preferably is a plasticizer and, more preferably, the plasticizer is designated "Component C" herein.

It is understood that Component A, with or without the biologically active agent/drug and/or compositions of Components A, B, C, the biologically active agent, and variations thereof, can provide a wide range of properties for treating a host of diseases, including, but not limited to, dental, orthopedic and vascular applications. For example, the copolymers of the invention can: (1) be extruded or injected into living tissue or onto the surface of living tissues to provide a protective barrier to prevent post-surgical adhesion; (2) act as a blocking agent or sealant for treatment of defect in conduits such as blood vessels; (3) facilitate the controlled-release of a biologically active agent/drug for modulating cellular events such as wound healing and tissue regeneration or therapeutic treatment of diseases such as infection of the periodontium, dry socket, bone, skin, vaginal, and nail infections; and (4) facilitate the sustained in vitro or in vivo growth of viable cells and/or living tissues for the purpose of tissue engineering.

DETAILED DESCRIPTION OF THE INVENTION

The term "Hydrophobic Block(s)" as used herein, refers to absorbable polyester chain block(s) or segment(s) of variable length which, is present in an isolated form, will produce practically amorphous (with less than 5 % crystallinity) or totally amorphous material having a T_g of less than 25°C, and preferably, is a viscous liquid at room temperature.

Hydrophobic block(s) X comprises copolymeric segments of known chemistries in the art, such as, those comprised from cyclic lactones (e.g., glycolide, L-lactide, D-lactide, ε-caprolactone, p dioxanone, trimethylene carbonate), polyalkylene oxalate, and the like, as described by Shalaby, 1988, cited elsewhere herein, which disclosure is herein incorporated by reference. More preferably, hydrophobic segment(s) or block(s) X comprises lactide/glycolide copolymer with 51 to 80% L- or D-lactide).

The term "Hydrophilic Block(s)" as used herein, refers to polymeric blocks or segments which, if present in an isolated form, will be water soluble. Hydrophilic block(s) or segment(s) Y comprises poly(oxyethylene), with or without a minor component of a higher homolog, such as, poly(oxypropylene)-polypeptide, polyalkylene oxamate (Shalaby et al., 1980, cited elsewhere herein, which disclosure is herein incorporated by reference), a polysaccharide, or derivatives thereof. The length of the hydrophilic block and its weight fractions can be varied to modulate the rate of gel formation, its modulus, its water content, diffusivity of bioactive drug through it, its adhesiveness to surrounding tissue, and bioabsorbability.

The term "Hydrogel" or "Hydrogel Mass" as used herein, refers to materials which have a high tendency for water absorption and/or retention, and maintain mechanical integrity through physical crosslinks which are reversible in nature.

The term "Physical Crosslinks" as used herein, refers to a three-dimensional structure which is held together by physical quasi or pseudo crosslinks, or ionic bonds, as compared to covalently crosslinked. These physical crosslinks facilitate the reversibility of the hydrogel. This reversibility property can be influenced by external factors, such as, solvent or heat.

The term "Self Solvating" as used herein, refers to components of chains which in the absence of external factors i.e., solvents, have greater affinity for physical interaction such that the components are capable of forming a virtually one phase system.

The term "Compliant" as used herein, refers to a material having a low modulus and which is easily deformable.

The term "Biologically Active Agent" as used herein broadly includes any composition or compound of matter which when dispensed in the chosen environment of use produces a predetermined, beneficial and useful result.

The term "Drug" or "Agent" as used herein broadly includes physiologically or pharmacologically active substances for producing a localized effect at the administration site or a systemic effect at a site remote from the administration site.

The term "Plasticizer" as used herein, refers to an absorbable polyester composition with hydrophilic and hydrophobic components similar, or identical to, those of Component A, with the exception of having a higher hydrophilic/hydrophobic ratio in Component C than Component A.

The present invention discloses novel hydrogel-forming, self-solvating, absorbable polyester copolymers, which upon hydration results in a hydrogel mass. The hydrogel mass is stabilized by pseudo-crosslinks provided by a hydrophobic polyester component, such as those comprised from cyclic lactones e.g., glycolide, L-lactide, D-lactide, ε-caprolactone, p dioxanone, trimethylene carbonate, polyalkylene oxalate, derivatives thereof and the like, covalently linked to a hydrophilic component comprised of blocks, such as those derived from a polyethylene glycol, polypeptide, polyalkylene oxamate (U.S. Pat. Nos. 4,209,607 and 4,226,243, to Shalaby et al., hereby incorporated by reference), or polysaccharide and derivatives thereof. The polyester copolymers, with or without modifying additives, undergo hydration in the biologic environment leading to selective segmental association thereby forming compliant hydrogels at the application site.

EP 0 737 703 A2

These copolymers are especially useful for localized, controlled delivery of biologically active agents/drugs and protecting or augmenting damaged, compromised, and/or traumatized tissues. More particularly applications of the novel copolymers of the invention include: (a) the treatment of periodontal disease, wherein a tetracycline- or chlorhexidine-containing hydrogel-former is injected in the periodontal pocket to form an adhesive gel or semi-solid mass in the pocket for the controlled release of such antimicrobial drugs over a period of 2 to 45 days. Near the practical exhaustion of the drug, the polymer will commence to absorb substantially as it undergoes advanced stages of degradation; (b) the prevention and treatment of dry socket with formulations similar to those of Component A; (c) providing a hydrogel barrier with or without non-steroidal anti-inflammatory drugs on traumatized tissue to prevent post-surgical adhesion; (d) applications as an antimicrobial hydrogel for the treatment of vaginal infections; (e) treatment of bone diseases such as osteomyelitis, with injectable formulations comprising antibiotics including gentamicin and vancomycin; (f) accelerating tissue regenerating in compromised soft and hard tissue, e.g., fractured bone, ulcers, burns, by employing formulations comprising growth promoters, such as growth factors or their oligomeric analogs; and, (g) treatment of diseases such as psoriasis and infected nails using formulations comprising antimicrobial agents. Other applications of the hydrogel-forming copolymers of the invention include (a) blood vessel sealant; (b) vascular blocking agent; (c) carrier for injectable anti-inflammatory formulations in the treatment of joint diseases; and (d) active carrier of viable cells or living tissue.

The copolymers of the invention comprise a primary or base component designated "Component A" herein. Component A comprises molecular chains having a hydrophilic block, designated "Y" herein, and a relatively hydrophobic polyester block, designated "X" herein. The molecular structure of hydrophobic block X and hydrophilic block Y preferably comprises one of the following formulas: $X-Y-X$ or $(X-Y)_n$, and branched structures thereof. More preferably, hydrophobic block X comprises a polyester formed by grafting a glycolide, lactide, ϵ -caprolactone, p-dioxanone, trimethylene carbonate or combinations thereof, onto the hydroxylic or amino-end groups of a hydrophilic polymer precursor i.e., Y. Hydrophilic block Y preferably comprises a polyoxyethylene, poly(oxyethylene-b-oxypropylene), polypeptide, polyalkylene oxamate, a polysaccharide, or derivatives thereof, or a liquid, high molecular weight polyether glycol interlinked with oxalate or succinate functionalities in linear or branched form.

In a preferred embodiment, Component A comprises a polyethylene glycol having a molecular weight of about 400 Daltons which is pre-interlinked with succinate or oxalate bridges to increase the length of the hydrophilic block and, thus, the molecular weight of A without favoring its crystallization. That is, the hydrophilic prepolymer "Y" having hydroxylic end-groups, is end-grafted with a mixture 80/40 dl-lactide/glycolide to produce a block copolymer having a hydrophilic block fraction "Y" of about 0.25. To render Component A more receptive to basic drugs, its end-groups can optionally be carboxylated, for instance, by their acylation with succinic anhydride. Component A, with or without a biologically active agent, is introduced to a biological target site using conventional means and, thereafter, undergoes selective-segmental segregation to form a flexible, compliant, reversible gel which adheres to the surrounding tissues and acquires the configuration of the site. Component A of the invention more preferably comprises an inherent viscosity at 25°C in chloroform ranging between 0.03 to 0.80 dL/g and can be present as a liquid at room temperature, or practically amorphous material (with less than 5 % crystallinity) with a Tg of less than 25°C, which can be extruded through a die or administered through a syringe needle.

Component A comprises copolymeric chains with self-solvating components (analogous to phase mixing of two component miscible blends) to allow its existence as a viscous, extrudable material at room temperature, and its transformation to a flexible reversible hydrogel upon administration to a biological site. These hydrogels adhere tenaciously to adjacent tissues and acquire the shape of the site. The present copolymers are mechanically compatible in highly sensitive sites, as well as, can mediate external mechanical stresses or shocks. As such, the copolymers of the invention can be applied easily without incorporating a major extrinsic water-soluble, potentially cytotoxic organic solvent in order to facilitate upon administration in-situ coagulation to a solid mass.

Component A, with or without a non-steroidal anti-inflammatory drug (NSAID) or active polypeptide, can be used as a protective barrier, a blocking agent of vascular defects caused by needle puncturing, a sealant of damaged surfaces for preventing post-surgical adhesion or as a carrier of immunostimulants or viable cells. Component A, mixed with an antimicrobial agent-drug, can be injected or applied topically with a suitable known applicator for the treatment of bone, cartilage, nail, skin, and vaginal infections.

In another embodiment of the invention, Component A optionally includes a biologically active agent/drug, such as, an antimicrobial agent, anesthetic agent, antibiotic, and/or a peptide or protein, for regulating cellular events. The biologically active agent/drug can comprise by way of illustration, antifungal agents, antibacterial agents, antibiotics, anti-inflammatory agents, immunosuppressive agents, immunostimulatory agents, dental sensitizers, odor masking agents, immune reagents, anesthetics, antiseptics, nutritional agents, antioxidants, lipopolysaccharide complexing agents, peroxides, tissue growth factors, a mixture of any of the foregoing, and the like. The agent/drug can be deposited, wholly or in part, on Component A, with or without carboxy-terminated ends. In an alternative embodiment, the biologically active agent/drug can be deposited, wholly or in part, on a solid carrier, designated "Component B" herein. Component B preferably is an absorbable, powder prior to mixing with Component A and, more preferably, Component B is an absorbable, microporous low molecular weight polyester which is highly crystalline and practically insoluble in Component A.

EP 0 737 703 A2

bly <0.05 to 0.2 dL/g; (c) contain less than 2 % residual monomer; and (d) have 0.03 to 0.35 and, more preferably 0.05 to 0.25 pore fraction.

An important difference between conventional formulations in the art and the novel copolymers of the invention, is that the present copolymers do not include the use of organic solvents. Such solvents can compromise the copolymers shelf stability, as in the case of a polyester in a basic solvent such as N-methyl-pyrrolidine, which can catalyze chain dissociation in the presence of trace amounts of moisture. The prior art formulations also teach the use of other reactive solvents such as propylene glycol (which degrades the polyester chain through alcoholysis), or trimethylene carbonate (which can copolymerize with the polyester chain). Moreover, should the prior art formulations be radiation sterilized, the presence of a solvent can lead to the generation of new chemical species originating from the solvent as well as in combination with the bioactive ingredient. In effect, organic solvents described in the prior art can compromise the purity and efficacy of both the drug (optional) and polymer which can, in turn, be associated with unsafe use.

Another feature of the novel copolymers of the invention, is that when administered to a biological site the copolymers do not experience discernible reduction in organic mass, as is the case of prior art compositions which coagulate in-situ by leaching out a major water-soluble component. Leaching out major water-soluble components can be associated with shrinkage and separation from the surrounding tissue and, in some instances, uncontrolled formation of microporous mass. Because the copolymers of the invention are comprised of copolymeric chains, the copolymers can be easily tailored to modulate its viscosity without the intervention of a new chemical species, such as, an organic solvent.

A further feature of the novel copolymers of the invention, is that since the copolymers are comprised of self-solvating molecules, its conversion to a hydrogel about a drug provides a uniform distribution of the therapeutic agent, and thus, more reproducible release profile, in contrast with prior art systems where complex physical events prevail due to the presence of leachable solvents.

The following Examples are provided to further illustrative the present invention, and should not be construed as limitations thereof:

EXAMPLE 1 PREPARATION OF COMPONENT "A"

1. Preparation of 79/21 (by weight) Block Copolymer of 60/40 dl-Lactide/Glycolide and Polyethylene Glycol 400

A suitable flask was thoroughly cleaned, flame-dried, and charged dry with polyethylene glycol (MW = 400; 5g, 0.0125 mole), dl-lactide (12 g, 0.083 mole), glycolide (6.4 g, 0.056 mole), stannous octoate catalyst (0.4 M in toluene; 34.7 μ L, 0.014 mmole), and a magnetic stirrer under nitrogen condition. The reactor was placed in an oil bath and heated to 170°C under a positive nitrogen pressure for 16 hours. The flask was removed and stored open in a vacuum oven. The inherent viscosity (IV) of the composition was determined using a 50 capillary viscometer (Ostwald type) at a concentration of 0.1 g/100 mL in chloroform. In a constant temperature bath set at 30°C, the IV was determined to be 0.13 dL/g. A DuPont 990 Differential Scanning Calorimeter (DSC) was used to determine glass transition (T_g) of the material. Approximately 4 mg of the sample was heated at 10°C/min from -50°C in a nitrogen environment. T_g = -41°C.

2. Preparation of 60/40 (by weight) Block Copolymer of 60/40 dl-Lactide/Glycolide and Polyethylene Glycol 400 Interlinked with Oxalate Functionality

Polyethylene glycol (MW = 400; 4.1 g, 0.01 mole), dimethyl oxalate (3.1 g, 0.025 mole), and stannous octoate catalyst (0.4 M in toluene; 883 μ L, 0.035 mmole) were mixed in a dry glass reactor containing a magnetic stirrer and heated to 150°C under a nitrogen atmosphere for 4 hours. A vacuum of less than 0.1 mm Hg was applied to remove the condensate (methanol) and excess dimethyl oxalate. The reactor was then cooled to approximately 50°C and PEG (MW = 400; 8.3 g, 0.021 mole) was added. The reactants were heated to 150°C for 3 hours before applying vacuum and cooling to room temperature. dl-Lactide (13.3 g, 0.093 mole), glycolide (7.2 g, 0.062 mole) were added under dry conditions to the reactor. The flask was heated to 150°C under a positive nitrogen pressure for 12 hours. Next, the temperature was increased to 170°C for 3.5 hours and vacuum was applied for 2 hours as the flask cooled to room temperature. The polymer was isolated and stored under vacuum.

IV in CHCl_3 = 0.11 dL/g

3. Reaction of 78/22 (by weight) Block Copolymer of 60/40 dl-Lactide/Glycolide and Polyethylene Glycol 400 Interlinked with Oxalate Functionality

Polyethylene glycol (MW = 400; 2.0 g, 0.005 mole), dimethyl oxalate (1.77 g, 0.015 mole), and stannous octoate catalyst (0.2 M in toluene; 90.5 μ L, 0.036 mmole) were mixed in a glass reactor containing a magnetic stirrer and heated to 140°C under a nitrogen atmosphere for 2 hours. A vacuum of less than 0.1 mm Hg was applied to remove the condensate (methanol) and excess dimethyl oxalate. The reactor was then cooled to approximately 50°C and PEG (MW =

EP 0 737 703 A2

400; 4.2 g, 0.011 mole) was added. The reactants were heated to 155°C for 1 hour under slight vacuum before increasing the temperature to 160°C for 2 hours under increased vacuum. L-Lactide (14.4 g, 0.1 mole), glycolide (7.7 g, 0.066 mole) were added under dry conditions to the reactor. The flask was heated to 150°C under a positive nitrogen pressure for 15 hours. Next, the temperature was lowered to 130°C and vacuum was applied. The material bubbled violently, indicating the presence of monomer. A strong vacuum was applied as the material cooled to room temperature. The final product was washed with 2-propanol at 40°C for about 20 minutes to remove the excess monomer before drying under vacuum at room temperature.

The weight average molecular weight (MW_w) and polydispersity index (PDI) of the material was determined using a Waters Gel Permeation Chromatography (GPC) apparatus. The instrument consisted of a 600E control Module and Solvent Delivery System, a U6K injector, three Syragel HT linear columns in series, a 401 Differential Refractometer detector, and a 746 Data Module. Chloroform was used as the mobile phase at a flow rate of 1 mL/min. and polystyrene molecular weight standards were used to calibrate the system. MW_w : 5723; PDI: 2.42

4. Preparation of 68/32 (by weight) Block Copolymer of 60/40 dl-Lactide/Glycolide and Polyethylene Glycol 400

Polyethylene glycol ($MW = 400$; 15 g, 0.0375 mole), dl-lactide (21 g, 0.146 mole), glycolide (11.3 g, 0.097 mole), and stannous octoate catalyst (0.2M in toluene; 243 μ L, 0.049 mmole) were added under dry conditions to a glass reactor containing a magnetic stirrer. The reactor was placed in an oil bath and heated to 150°C under a positive nitrogen pressure for 1 hour, then to 160°C for 6 hours. The flask was cooled under a vacuum of less than 0.1 mm Hg and placed in a vacuum oven. MW_w : 1670; PDI: 1.46

5. Preparation of 68/32 (by weight) Block Copolymer of 60/40 dl-Lactide/Glycolide and Polyethylene Glycol 400 Interlinked with Oxalate Functionality

Polyethylene glycol ($MW = 400$; 160 g, 0.4 mole), dimethyl oxalate (47.2 g, 0.4 mole) and stannous octoate catalyst (0.2 M in toluene; 200 μ L, 0.04 mmole) were mixed under a dry nitrogen environment and heated to 150°C for 1 hour. The temperature was increased to 160°C for 2 hours before applying a vacuum of 1 mm Hg and allowing to cool to approximately 50°C. Then, 5 g of PEG 400 were added and the reaction was continued at 160°C for 0.5 hours. Finally, 15 g of the interlinked PEG were mixed with dl-lactide (21 g, 0.146 mole), glycolide (11.3 g, 0.097 mole), and stannous octoate catalyst (0.2 M in toluene; 243 μ L, 0.049 mmole) were added under dry conditions to a glass reactor containing a magnetic stirrer. The reactor was heated to 150°C under a positive nitrogen pressure for 1 hour, then to 160°C for 6 hours. The flask was cooled under a vacuum of less than 0.1 mm Hg and stored in a vacuum oven. MW_w : 4713; PDI: 2.41

6. Preparation of 73/27 (by weight) Block Copolymer of 60/40 dl-Lactide/Glycolide and Polyethylene Glycol 400

Polyethylene glycol ($MW 400$; 12.5 g), dl-lactide (22.5 g, 0.156 mole), glycolide (12.1 g, 0.104 mole), and stannous octoate catalyst (0.2 M in toluene, 260 μ L, 0.052 mmole) were added to a dry glass reactor containing a magnetic stirrer. The reactor was heated to 150°C under a positive nitrogen pressure for 18 hours. The flask was cooled under a vacuum of less than 0.1 mm Hg for 0.5 hours and stored in a vacuum oven. MW_w : 2172; PDI: 1.53

7. Preparation of 73/27 (by weight) Block Copolymer of 60/40 dl-Lactide/Glycolide and Polyethylene Glycol 400 Interlinked with Oxalate Functionalities

Interlinked PEG (12.5 g, described in Example 5), dl-lactide (22.5 g, 0.156 mole), glycolide (12.1 g, 0.104 mole), and stannous octoate catalyst (0.2 M in toluene; 260 μ L, 0.052 mmole) were added to a dry glass reactor containing a magnetic stirrer. The reactor was heated to 150°C under a positive nitrogen pressure for 18 hours. The flask was cooled under a vacuum of less than 0.1 mm Hg for 0.5 hours and stored in a vacuum oven. MW_w : 5723; PDI: 2.41

8. Preparation of 68/32 (by weight) Block Copolymer of 60/40 dl-Lactide/Glycolide and Polyethylene Glycol 400 Interlinked with Oxalate Functionalities

Interlinked PEG (15 g, described in Example 5), dl-lactide (21 g, 0.146 mole), glycolide (11.3 g, 0.097 mole), and stannous octoate catalyst (0.2 M in toluene; 243 μ L, 0.049 mmole) were added to a dry glass reactor containing a magnetic stirrer. The reactor was heated to 150°C under a positive nitrogen pressure for 3 hours and then 160°C for 3 hours.



EP 0 737 703 A2

The flask was cooled under a vacuum of less than 0.1 mm Hg for 0.5 hours and stored in a vacuum oven.
MW_w: 3582; PCI: 2.08

EXAMPLE II PREPARATION OF COMPONENT "B"

1. Preparation of Polyglycolide (PG) Drug Carrier

Glycolic acid (0.46 g, 0.006 mole), glycolide (34.8 g, 0.30 mole), and stannous octoate catalyst (0.4 M in toluene; 150 μ L, 0.06 mmole) were mixed in a dry flask equipped with a magnetic stirrer under a dry nitrogen atmosphere. The reactants were slowly heated to 170°C (approx. 20 min.) under agitation. At this time, the reactants formed an opaque mixture and the temperature was increased again to 200°C. When the temperature reached 176°C, the material was translucent and the viscosity was very high. The flask was then removed from heat and quenched with liquid nitrogen for about 2 minutes. The glassware was broken and removed and the reactants were dropped in the liquid nitrogen to terminate the reaction completely. The resulting PG solid was dried in a vacuum oven at 35°C overnight. Using a Wiley mill with a 60 mesh sieve, the PG was ground to a fine powder. The entrapped monomer was extracted using anhydrous acetone at 35°C resulting in porous particles of PG.

2. Addition of Chlorhexidine Diacetate to PG Carrier

Chlorhexidine diacetate (8.7 g) was dissolved in approximately 500 mL of isopropyl alcohol in a roto-evaporator at 38°C. The extracted PG powder (25.6 g) (Example II-1) was added to the solution and the mixture was agitated for 6 hours under a slight vacuum. The temperature was increased to 40°C and a stronger vacuum was applied to distill 2-propanol and acetic acid. When all of the 2-propanol had displaced, the temperature was decreased to 35°C and the agitation was continued for another 2 hours. The resulting white powder was scraped from the containing flask and placed in a vacuum oven at 35°C overnight. The powder was then mixed with mineral oil (1:2) and treated in a 3-roll mill for about 5 min. The oil was removed using heptane and the dry particles were shown to have an average diameter of 16 micron.

3. Preparation of Drug Carrier B--Polyglycolide

Same as in Example II-1, except using the following polymerization charge and scheme:

Charge:	Glycolide	34.8 g (0.3 mole)
	Glycolic acid	2.28 g (0.03 mole)
	Stannous octoate	0.06 mmole

Scheme: The polymerization charge was heated to 160°C and maintained at that temperature with stirring for 15 minutes when the polymer crystallized. The product was cooled, isolated, broken into small pieces, and ground using a Wiley mill.

The ground polymer was mixed with about 2 parts mineral oil and roll-milled to achieve the desired particle size (about 5 min). The particles were isolated from the mineral oil as described in Example 10 and were shown to have an average diameter of 50 micron. The micronized polymer was then extracted with 2-propanol as described in Example II-1. Dry weight data indicated a 7 % weight loss. Titration of the accessible carboxylic group of the particle reflects a value of 0.3 mmole/g.

4. Loading Carrier B with Chlorhexidine

One gram of Carrier B from Example II-3 was stirred with deionized water for 20 min., filtered, and air dried. Solid B particles were mixed with 150 mg of chlorhexidine diacetate in 80% aqueous acetone at 25°C for 1 hour and 40°C for 1 hour, cooled and then filtered. Analysis of the filtrate (using UV spectrophotometry) indicates that 80% of the drug is retained by the carrier.

EP 0 737 703 A2

EXAMPLE III PREPARATION OF COMPONENT "C"

1. Preparation of 14/86 (by weight) of Block Copolymer of 60/40 di-Lactide/Glycolide and Polyethylene Glycol 400

Polyethylene glycol (MW = 400; 20 g, 0.05 mole), di-lactide (2.12 g, 0.015 mole), glycolide (1.14 g, 0.010 mole), and stannous octoate catalyst (0.4 M in toluene; 25 μ L, 0.05 mmole) were added under dry conditions to a glass reactor containing a magnetic stirrer. The reactor was heated to 130°C to melt the reactants and then increased to 170°C to start the reaction. After 5 hours, the system was cooled and stored in a vacuum oven.
MW_w: 503; PDI: 1.23

2. Preparation of 14/86 (by weight) of Block Copolymer of 60/40 di-Lactide/Glycolide and Polyethylene Glycol 400 Interlinked with Oxalate Functionalities

PEG 400 was interlinked with dimethyl oxalate (as described in Example 5) prior to the addition of di-lactide and glycolide. Interlinked PEG (85 g), di-lactide (9.0 g, 0.0625 mole), glycolide (4.83 g, 0.0417 mole), and stannous octoate catalyst (0.2 M in toluene; 105 μ L, 0.05 mmole) were added to a dry glass reactor and heated to 150°C for 1 hours. The temperature was increased to 160°C for 4 more hours before removing the reactants from heat and applying a vacuum of less than 0.1 mm Hg as the material cooled to room temperature. The polymer was isolated and stored under vacuum.

EXAMPLE IV PREPARATION OF CHLORHEXIDINE (CHX) DELIVERY SYSTEM

Example 1: Preparation of Drug Delivery System (1.0:0.09:0.31:0.01, A:B:C:CHX by weight)

Component C (1.20 g-Example III [1]) and Component B (0.40 g-Example II[2]) were added to 4.3 g of Component A (Example I[1]). The materials were mixed at slightly elevated temperatures (approximately 40°C) to obtain a uniform distribution. Chlorhexidine (0.04 g) was added to the mixture to make a final composition consisting of 70.5 % A, 6.5 % B, 22 % C, and 1 % drug. [* Based on the weight of diacetate salt].

Example 2: Preparation of Drug Delivery System (1.0:0.1:0.25:0.01 A:B:C:CHX by weight)

Component C (1.67 g-Example III[1]) and Component B (0.51 g-Example II[2]) were added to 4.77 g of Component A (Example I[3]) and mixed to obtain a uniform distribution. Chlorhexidine (0.05 g) was mixed into the system to make up the following composition by weight: 68 % A, 7 % B, 24 % C, and 1 % free drug.

EXAMPLE V DRUG RELEASE FORMULATION

Samples of drug carrier (Component B) were loaded with chlorhexidine as described in Example II[4] were mixed with gel-former Component A from Examples I [4] and [5]. Another set of formulations were made of drug-bearing B, gel-former A, and plasticizer C (Example III[1]). All formulations were roll-milled for 1 to 3 minutes, transferred to a syringe, and into a 21 gauge needle. The formulations were then injected into water for subjective comparative assessment of their rate of gel formation texture and mechanical integrity. A rating of 1 to 5 was adapted for this evaluation with 1 being the fastest. A summary of these formulation compositions and ratings is provided in Table 1.

EP 0 737 703 A2

Table 1

Composition and Gel-Formation of Drug Delivery Formulations					
D Number	Source of A		Source of B	Source of C	Gel-Formation
	Ex. 4, %	Ex. 5, %	Ex. 12, %	Ex. 13, %	Rating
17-1	40	40	20	0	4
17-2	30	55	15	0	4
17-3	30	40	30	0	5
17-4	40	30	30	0	3
17-5	45	25	30	0	3
17-6	40	20	40	0	3
17-7	0	50	30	20	1
17-8	30	40	20	10	2

It is understood that the Examples described herein are for purposes of illustration only and, not limitation, and that various modification and/or changes that may suggest themselves to one skilled in the art are intended to be included within the spirit of this application and the scope of the appended claims.

EXAMPLE VI

PREPARATION OF INTERFERON/ACICLOVIR DELIVERY SYSTEM

General procedure

Liquid polymers X, Y and Z were mixed at a ratio of 61,9% X, 19,1% Y and 19,0% Z. The composition of these polymers are as follows: Polyethylene glycol 400-60/40 dl-lactide-glycolide segments (weight ratio).

X	Y	Z
80/20	70/30	15/85

Step 1: Liquid polymer of the above composition was mechanically mixed with interferon to produce a composition that contains 50,000 U/ml liquid polymer.

Step 2: The mixture of step 1 (5,6 g) was loaded with (1,4 g) B (a polyglycolide that is acid terminated) previously treated with alcohol/water solution comprising 668.3 mg of aciclovir sodium and then dried under vacuum.

Step 3: The procedure of step 2 was repeated with 77,6mg acyclovir sodium.

Compositions of steps 1, 2 and 3 are used for the control release of aciclovir and of interferon over a period of 1 to 3 weeks.

Claims

1. A hydrogel-forming, self-solvating absorbable polyester copolymer capable of selective, segmental association into a compliant hydrogel mass on contact with an aqueous environment.
2. The copolymer of claim 1, wherein said copolymer comprises a hydrophobic polyester block X covalently bonded to a hydrophilic block Y.

EP 0 737 703 A2

3. The copolymer of any one of claims 1 or 2, wherein said copolymer is carboxy-terminated.
4. The copolymer of any one of claims 1 to 3, wherein said blocks X and Y are covalently bonded together in an arrangement selected from the group consisting of X-Y-X, (X-Y)_n, and branched structures thereof.
5. The copolymer of any one of claims 1 to 4, wherein said hydrophilic block Y comprises less than 50% of the mass of said copolymer.
6. The copolymer of any one of claims 1 to 5, wherein said hydrophilic block Y comprises oxyethylene or a combination of oxyethylene and oxypropylene sequences.
7. The copolymer of any one of claims 1 to 6, wherein said hydrophobic block X comprises more than 50% of the mass of said copolymer.
8. The copolymer of any one of claims 1 to 7, wherein said hydrophobic block is derived from ring opening polymerization of lactones or step-growth formation of alkylene oxalates.
9. The copolymer of any one of claims 1 to 8, wherein said hydrogel mass is reversible into a liquid.
10. The copolymer of any one of claims 1 to 9, wherein said copolymer is extrudable.
11. The copolymer of claim 10, wherein said extrudable copolymer is a liquid which can be injected into a biological site.
12. The copolymer of claim 11, wherein said liquid is obtained by combining a high molecular weight sample of said copolymer with a lower molecular weight component.
13. The copolymer of claim 12, wherein said lower molecular weight component is a plasticizer.
14. The copolymer of claim 13, wherein said plasticizer comprises said polymer wherein the hydrophilic block Y to hydrophobic block X ratio is greater than 1.
15. A composition comprising:
 - the copolymer of any one of claims 1 to 14; and
 - a biologically active agent or mixture of biologically active agents associated with said copolymer.
16. The composition of claim 15, wherein said agents are therapeutic agents.
17. The composition of claims 15 or 16, wherein said agent or mixture of agents is bonded to said copolymer.
18. The composition of any one of claims 15 to 17, wherein said agent or mixture of agents is at least partially deposited on an absorbable, microparticulate solid carrier.
19. The composition of any one of claims 15 to 18, wherein said agent or said mixture of agents is associated with the copolymer via said carrier.
20. The composition of claims 18 or 19, wherein the carrier is a microporous carrier.
21. The composition of any one of claims 15 to 20, wherein a low molecular weight component is associated with said copolymer.
22. The composition of claim 21, wherein said low molecular weight component is a plasticizer.
23. The composition of claim 22, wherein said plasticizer comprises said polymer wherein the hydrophilic block Y to hydrophobic block X ratio is greater than 1.
24. A pharmaceutical formulation comprising a copolymer according to any one of claims 1 to 14 or a composition according to any one of claims 15 to 23 and a pharmaceutically acceptable carrier.



EP 0 737 703 A2

25. A vaccine formulation comprising the pharmaceutical formulation of claim 24 and a pharmaceutically acceptable carrier.
26. A biomedical barrier for use in treating a person suffering from a condition, said barrier comprising the copolymer according to any one of claims 1 to 14 or a composition according to any one of claims 15 to 23.
27. The biomedical barrier of claim 26, wherein said barrier is a sterilized barrier.
28. The pharmaceutical of claim 24 or the biomedical barrier of claim 26 or claim 27 formulated for treating a condition selected from cutaneous, transcutaneous, intracutaneous and/or percutaneous diseases and infections; vascular, oral, ophthalmic, orthopedic or abdominal sites; post-surgical adhesion; defects in conduits such as blood vessels; tissue wounds, traumatized tissues, including burns and skin wounds, compromised wounds, such as ulcers and infected wounds; tissue regeneration and diseases of the periodontium, dry socket; and bone, skin, mucus membrane infections, including those of the vaginal type, and epilepsy.
29. The pharmaceutical of claim 24 or the biomedical barrier of claim 26 or claim 27 formulated as an anaesthetic agent.

20

25

30

35

40

45

50

55